


### BLANKSTAHL S235JRC+C H11 FLACH EN10277/EN10278/EN10025




mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
5	4	X		0,157	20	15	X	X	2,360
6	4	X		0,189	20	16	X		2,515
7	3	X		0,165	22	3	X		0,518
8	3	X		0,189	22	4	X		0,691
8	4	X		0,251	22	5	X		0,860
8	5	X		0,315	22	6	X		1,040
8	6	X		0,375	22	8	X		1,380
10	2	X		0,157	22	10	X		1,730
10	3	X		0,236	25	2	X		0,393
10	4	X		0,314	25	3	X		0,589
10	5	X		0,393	25	4	X		0,785
10	6	X		0,472	25	5	X		0,980
10	8	X		0,630	25	6	X		1,180
12	3	X		0,283	25	8	X		1,570
12	4	X		0,377	25	10	X		1,960
12	5	X		0,471	25	12	X		2,360
12	6	X		0,570	25	15	X		2,940
12	8	X		0,754	25	16	X		3,140
12	10	X		0,940	25	18	X		3,530
14	3	X		0,330	25	20	X		3,930
14	4	X		0,440	28	6	X		1,320
14	5	X		0,550	28	10	X		2,200
14	6	X		0,660	28	12	X		2,640
14	8	X		0,880	30	2	X		0,471
15	2	X		0,230	30	3	X		0,707
15	3	X		0,353	30	4	X		0,942
15	4	X		0,471	30	5	X		1,180
15	5	X		0,589	30	6	X		1,410
15	6	X		0,707	30	8	X		1,880
15	7	X		0,819	30	10	X		2,360
15	8	X		0,942	30	12	X	X	2,830
15	10	X		1,180	30	15	X	X	3,530
15	12	X		1,415	30	16	X		3,770
16	2	X		0,250	30	20	X	X	4,710
16	3	X		0,377	30	25	X		5,890
16	4	X		0,502	32	5	X		1,260
16	5	X		0,630	32	8	X		2,010
16	6	X		0,750	32	10	X		2,510
16	8	X		1,005	35	3	X		0,824
16	10	X		1,260	35	4	X		1,099
16	12	X		1,505	35	5	X		1,370
18	3	X		0,425	35	6	X		1,650
18	4	X		0,565	35	8	X		2,200
18	5	X		0,710	35	10	X	X	2,750
18	6	X		0,850	35	12	X		3,300
18	8	X		1,130	35	15	X		4,120
18	10	X		1,410	35	16	X		4,400
18	12	X		1,700	35	20	X		5,500
20	2	X		0,314	35	25	X	X	6,870
20	3	X		0,471	35	30	X		8,240
20	4	X		0,628	40	3	X		0,942
20	5	X		0,790	40	4	X		1,256
20	6	X		0,940	40	5	X		1,570
20	8	X		1,260	40	6	X		1,880
20	10	X		1,570	40	8	X		2,510
20	12	X		1,880	40	10	X	X	3,140

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




**BLANKSTAHL S235JRC+C H11 FLACH**  
 EN10277/EN10278/EN10025

mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
40	12	X	X	3,770	60	50	X		23,560
40	15	X	X	4,710	65	8	X		4,080
40	16	X		5,020	65	10	X		5,100
40	18	X	X	5,650	65	12	X		6,120
40	20	X	X	6,280	65	15	X		7,650
40	25	X	X	7,850	65	20	X		10,210
40	30	X	X	9,420	70	4	X		2,198
40	35	X		10,990	70	5	X		2,750
45	3	X		1,060	70	6	X		3,300
45	4	X		1,413	70	8	X		4,400
45	5	X		1,766	70	10	X		5,500
45	6	X		2,120	70	12	X		6,600
45	8	X		2,830	70	15	X		8,240
45	10	X		3,530	70	20	X		10,990
45	12	X		4,240	70	25	X		13,740
45	15	X		5,300	70	30	X		16,490
45	20	X		7,070	70	35	X		19,230
45	25	X		8,830	70	40	X	X	21,980
45	30	X		10,600	70	50	X		27,400
45	35	X		12,360	75	12	X		7,070
50	3	X		1,178	75	20	X		11,780
50	4	X		1,570	80	4	X	X	2,510
50	5	X		1,960	80	5	X		3,140
50	6	X		2,360	80	6	X	X	3,770
50	8	X		3,140	80	8	X	X	5,020
50	10	X	X	3,930	80	10	X		6,280
50	12	X	X	4,710	80	12	X	X	7,540
50	15	X	X	5,890	80	15	X	X	9,420
50	16	X		6,280	80	16	X		10,050
50	20	X	X	7,850	80	20	X	X	12,560
50	25	X	X	9,810	80	25	X	X	15,600
50	30	X	X	11,780	80	30	X	X	18,840
50	35	X		13,740	80	35	X		21,980
50	40	X	X	15,700	80	40	X	X	25,120
55	5	X		2,160	80	50	X	X	31,400
55	6	X		2,590	80	60	X	X	37,680
55	10	X		4,320	90	5	X		3,530
55	12	X		5,180	90	6	X		4,240
55	15	X		6,480	90	8	X		5,650
55	20	X		8,640	90	10	X		7,070
55	25	X		10,790	90	12	X		8,480
60	3	X		1,413	90	15	X		10,600
60	4	X		1,884	90	20	X	X	14,130
60	5	X		2,360	90	25	X		17,660
60	6	X	X	2,830	90	30	X		21,200
60	8	X	X	3,770	90	40	X		28,260
60	10	X	X	4,710	90	50	X		35,320
60	12	X	X	5,650	90	60	X		42,400
60	14	X		6,600	100	4	X		3,140
60	15	X	X	7,070	100	5	X		3,930
60	16	X		7,540	100	6	X		4,710
60	18	X		8,480	100	8	X		6,280
60	20	X	X	9,420	100	10	X	X	7,850
60	25	X		11,780	100	12	X	X	9,420
60	30	X	X	14,130	100	15	X		11,770
60	35	X		16,490	100	16	X		12,560
60	40	X		18,840					



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

### BLANKSTAHL S235JRC+C H11 FLACH EN10277/EN10278/EN10025



mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
100	20	X	X	15,700	150	30	X		35,330
100	25	X		19,630	150	32	X		37,680
100	30	X	X	23,550	150	35	X		41,210
100	32	X		25,120	150	40	X		47,100
100	35	X		27,480	150	50	X		58,880
100	40	X		31,400	150	60	X		70,700
100	50	X		39,260	160	6	X		7,540
100	60	X	X	47,100	160	8	X		10,050
110	6	X		5,180	160	10	X		12,560
110	8	X		6,910	160	12	X		15,070
110	10	X		8,640	160	15	X		18,840
110	12	X	X	10,360	160	20	X		25,120
110	15	X		12,950	160	25	X		31,400
110	20	X		17,270	160	30	X		37,680
110	25	X		21,600	160	40	X		50,240
110	30	X		25,910	160	50	X		62,800
110	35	X		30,223	180	6	X		8,478
120	5	X		4,710	180	8	X		11,300
120	6	X		5,650	180	10	X		14,130
120	8	X		7,540	180	12	X		16,956
120	10	X		9,420	180	15	X		21,200
120	12	X		11,300	180	20	X		28,260
120	15	X		14,130	180	25	X		35,360
120	20	X	X	18,840	180	30	X	X	42,390
120	25	X		23,550	180	40	X		56,520
120	30	X		28,260	200	5	X		7,850
120	40	X		37,680	200	6	X		9,420
120	50	X		47,100	200	8	X		12,560
120	60	X		56,520	200	10	X		15,700
125	15	X		14,720	200	12	X		18,840
130	6	X		6,120	200	15	X		23,550
130	8	X	X	8,160	200	20	X		31,400
130	10	X		10,210	200	25	X		39,250
130	12	X		12,250	200	30	X		47,100
130	15	X		15,310	200	40	X		62,800
130	20	X		20,410	200	50	X		78,500
130	25	X		25,510	200	60	X		96,000
130	30	X		30,620	220	10	X		17,270
140	6	X		6,590	220	12	X		20,724
140	8	X		8,790	220	15	X		25,905
140	10	X		10,990	220	20	X		34,540
140	12	X		13,190	220	30	X	X	51,810
140	15	X		16,490	250	8	X		15,700
140	20	X		21,980	250	10	X		19,625
140	25	X		27,480	250	12	X		23,550
140	30	X		32,970	250	15	X		29,440
140	40	X		43,960	250	20	X		39,250
140	50	X		54,960	250	25	X		49,063
150	5	X		5,890	250	30	X		58,880
150	6	X		7,070	250	40	X		78,500
150	8	X		9,420	300	10	X		23,550
150	10	X		11,770	300	12	X		28,260
150	12	X		14,130	300	15	X		35,330
150	15	X		17,660	300	20	X		47,100
150	20	X		23,550	300	25	X		58,900
150	25	X		29,440	300	30	X		70,660

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




**BLANKSTAHL S235JRC+C H11 FLACH**

EN10277/EN10278/EN10025

mm	mm	3 mtr	6 mtr	kg/mtr
300	40	X		94,200
350	12	X		32,970
350	15	X		41,213
350	20	X		54,950


mm	mm	3 mtr	6 mtr	kg/mtr
400	10	X		31,400
400	12	X		37,680
400	15	X		47,100
400	20	X		62,800


**BLANKSTAHL C45+C H11 FLACH**

EN10277/EN10278/EN10083

mm	mm	3 mtr	6 mtr	kg/mtr
30	6		X	1,410
35	15		X	4,120
40	8		X	2,510
40	10		X	3,140
40	15		X	4,710
40	25	X		7,850
40	30	X		9,420
45	12		X	4,240
50	20		X	7,850
50	35	X		13,740


mm	mm	3 mtr	6 mtr	kg/mtr
60	10		X	4,710
80	12		X	7,540
100	15		X	11,770
100	20	X		15,700
100	50	X	X	39,300
120	15	X		14,100
120	20	X		18,800
120	40		X	37,700
120	50		X	47,100


**BLANKSTAHL S235JRC+C/SH H9 RUND**

EN10277/EN10278/EN10025


mm	3 mtr	6 mtr	kg/mtr
3	X		0,055
4	X		0,099
5	X		0,154
6	X		0,222
7	X		0,302
8	X	X	0,395
9	X	X	0,499
10	X	X	0,617
11	X	X	0,746
12	X	X	0,888
13		X	1,040
14		X	1,210
15		X	1,390
16		X	1,580
17		X	1,782
18		X	2,000
19		X	2,230
20		X	2,466
22		X	2,980
23		X	3,261
24		X	3,550
25		X	3,850

mm	3 mtr	6 mtr	kg/mtr
26		X	4,170
28		X	4,830
30		X	5,550
32		X	6,310
35		X	7,550
36		X	7,990
38		X	8,900
40		X	9,860
42		X	10,900
45		X	12,500
50		X	15,400
55		X	18,700
60		X	22,200
65		X	26,050
70		X	30,200
75		X	34,700
80		X	39,500
90		X	49,900
100		X	61,700
110		X	74,600
120		X	88,800




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

### BLANKSTAHL S355J2C+C/SH H9 RUND EN10277/EN10278/EN10025



mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
6	X	X	0,222	35		X	7,549
8		X	0,395	40	X	X	9,865
9		X	0,499	42		X	10,880
10	X	X	0,617	45		X	12,480
12		X	0,888	50		X	15,410
14		X	1,208	55		X	18,650
15		X	1,387	60		X	22,190
16		X	1,578	65		X	26,050
18		X	1,998	70		X	30,210
20		X	2,466	75		X	34,680
22		X	2,984	80		X	39,460
24		X	3,549	85		X	44,550
25		X	3,853	90		X	49,940
26		X	4,168	100	X	X	61,650
28		X	4,834	110		X	74,563
30		X	5,546	120		X	88,736
32		X	6,313	140		X	120,780

### BLANKSTAHL C35+C/SH H9 RUND EN10277/EN10278/EN10083




mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
6	X		0,222	40		X	9,860
8		X	0,395	42		X	10,880
10	X	X	0,617	45		X	12,479
12		X	0,888	50		X	15,400
14		X	1,210	55		X	18,700
15		X	1,390	60		X	22,190
16		X	1,580	65		X	26,100
18		X	2,000	70		X	30,200
20		X	2,466	75		X	34,680
22		X	2,980	80		X	39,438
24		X	3,550	85		X	44,550
25		X	3,850	90		X	49,900
26		X	4,170	95		X	55,640
28		X	4,830	100		X	61,623
30		X	5,550	110		X	74,563
32		X	6,310	120		X	88,736
35		X	7,550	150		X	138,651


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

**BLANKSTAHL C45+C/SH H9 RUND**  
 EN10277/EN10278/EN10083

mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
8	X	X	0,395	40		X	9,860
10		X	0,617	45		X	12,479
12		X	0,888	50		X	15,400
14		X	1,210	55		X	18,641
15		X	1,390	60		X	22,184
16		X	1,578	65		X	26,050
18		X	2,000	70		X	30,200
20		X	2,470	75		X	34,663
21	X		2,719	80		X	39,438
22		X	2,980	90		X	49,900
24		X	3,550	100		X	61,623
25		X	3,850	110		X	74,563
30		X	5,550	120		X	88,736
35		X	7,550	130		X	104,142



**BLANKSTAHL C45+SL H6 GESCHLIFFEN RUND**  
 EN10277/EN10278/EN10083

mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
8	X		0,395	35		X	7,549
10		X	0,617	40		X	9,865
12		X	0,888	45		X	12,480
14		X	1,210	50		X	15,410
15		X	1,387	55		X	18,650
16		X	1,578	60		X	22,190
17		X	1,782	65		X	26,050
18		X	1,998	70		X	30,210
20		X	2,466	75		X	34,680
22		X	2,984	80		X	39,460
24		X	3,551	90		X	49,940
25		X	3,853	100		X	61,650
28		X	4,834	110		X	74,600
30		X	5,549	120		X	88,736




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

### BLANKSTAHL 16MNCR5+C/SH H9 RUND EN10277/EN10278/EN10084




mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
8	X		0,395	35	X		7,553
10	X		0,617	40	X		9,865
15	X		1,387	45	X		12,480
18	X		1,998	50	X		15,410
20	X		2,466	55	X		18,650
25	X		3,853	60	X		22,190
30	X		5,549	70	X		30,210

### AUTOMATENSTAHL 11SMN30+C/SH H9 RUND EN10277/EN10278/EN10087



mm	3 mtr	kg/mtr	mm	3 mtr	kg/mtr
4	X	0,099	30	X	5,550
5	X	0,154	32	X	6,310
6	X	0,222	34	X	7,127
7	X	0,302	35	X	7,550
8	X	0,395	36	X	7,990
9	X	0,499	40	X	9,860
10	X	0,617	43	X	11,400
12	X	0,888	45	X	12,500
13	X	1,040	50	X	15,400
14	X	1,210	55	X	18,700
15	X	1,390	60	X	22,200
16	X	1,580	65	X	26,050
17	X	1,782	70	X	30,200
18	X	2,000	75	X	34,680
19	X	2,230	80	X	39,438
20	X	2,470	85	X	44,522
22	X	2,980	90	X	49,914
24	X	3,550	95	X	55,614
25	X	3,850	100	X	61,623
26	X	4,170	110	X	74,563
28	X	4,830	120	X	88,736

### AUTOMATENSTAHL 11SMNPB30/37+C/SH H9 RUND EN10277/EN10278/EN10087




mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
4	X		0,099	35		X	7,549
15	X		1,387	40	X		9,865
19	X		2,225	50	X		15,410
20	X		2,466	52	X		16,663
30	X		5,549	85	X		44,522


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

**BLANKSTAHL S235JRC+C H11 VIERKANT**  
 EN10277/EN100278/EN10025


mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
4	X		0,126	25	X	X	4,906
5	X		0,196	28	X		6,154
6	X		0,283	30	X	X	7,065
8	X		0,502	32	X		8,038
10	X		0,785	35	X		9,616
11	X		0,950	36	X		10,174
12	X		1,130	40	X	X	12,560
13	X		1,327	45	X		15,896
14	X		1,539	50	X	X	19,625
15	X		1,766	60	X	X	28,260
16	X		2,010	70	X		38,465
17	X		2,269	80	X	X	50,240
18	X		2,543	90	X		63,585
20	X	X	3,140	100	X	X	78,500
22	X		3,799	120	X		113,040
24		X	4,522				


**BLANKSTAHL S355J2C+C H11 VIERKANT**


mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
20		X	3,140	60		X	28,260
25		X	4,906	70		X	38,460
30		X	7,065	80		X	50,240
40		X	12,560	90		X	63,585
50		X	19,625	100		X	78,500


**BLANKSTAHL C45+C H11 VIERKANT**  
 EN10277/EN10278/EN10083

mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
12	X		1,130	40	X		12,560
15	X		1,766	45	X		15,890
18	X		2,543	50	X	X	19,620
20	X		3,140	60	X	X	28,260
22	X		3,799	70		X	38,460
25	X		4,906	80	X		50,240
30	X		7,065	90	X		63,580
35	X		9,616	100	X		78,500


**AUTOMATENSTAHL 11SMN30+C H11 SECHSKANT**  
 EN10277/EN10278/EN10087


mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
10	X		0,680	24	X		3,916
11	X		0,823	27	X		4,956
12	X		0,979	30	X		6,118
13	X		1,149	36	X		8,811
17	X		1,965	55	X		20,565
19	X		2,454				



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




### AUTOMATENSTAHL 11SMNPB30/37+C H11 SECHSKANT EN10277/EN10278/EN10087




mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
8	X		0,435	24	X		3,916
9	X		0,551	27	X		4,956
13	X		1,149	30	X		6,118
14	X		1,330	32	X		6,961
17	X		1,965	36	X		8,811
19	X		2,454	41	X		11,428
22	X		3,290	46	X		14,385

### BLANKSTAHL S235JRC+C GLEICHSCH. WINKEL DIN 59370/EN10025



mm	mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	mm	3 mtr	6 mtr	kg/mtr
10	10	2	X		0,280	30	30	5	X		2,180
12	12	2	X		0,380	35	35	3	X		1,600
12	12	3	X		0,570	35	35	4	X		2,100
15	15	2	X		0,490	35	35	5	X		2,570
15	15	3	X		0,620	40	40	3	X		1,820
20	20	2	X		0,590	40	40	4	X		2,420
20	20	3	X		0,880	40	40	5	X		2,970
20	20	4	X		1,140	40	40	6	X		3,520
25	25	2	X		0,750	45	45	5	X		3,380
25	25	3	X		1,120	50	50	5	X		3,770
25	25	4	X		1,450	50	50	6	X		4,470
25	25	5	X		1,770	60	60	6	X	X	5,420
30	30	2	X		0,950	80	80	8		X	9,660
30	30	3	X		1,360	100	100	10	X	X	15,100
30	30	4	X		1,780						

### BLANKSTAHL S235JRC+C UNGLEICHSCH. WINKEL DIN 59370/EN10025




mm	mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	mm	3 mtr	6 mtr	kg/mtr
20	10	3	X		0,640	45	30	4	X		2,250
20	15	3	X		0,740	45	30	5	X		2,770
20	15	4	X		0,900	50	30	5	X		2,960
25	15	3	X		0,870	60	30	5	X		3,370
30	20	3	X		1,110	60	40	5	X		3,760
30	20	4	X		1,450	80	40	6	X		5,410
40	20	3	X		1,350	100	50	10	X	X	11,100
40	20	4	X		1,770	130	65	10		X	14,600
40	20	5	X		2,100	150	75	12		X	22,000
40	30	3	X		1,650						

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

**BLANKER KEILSTAHL C45+C H9/H11 FLACH**  
 DIN 6680/EN10083


mm	mm	3 mtr	kg/mtr
8	7	X	0,440
10	6	X	0,470
10	8	X	0,630
12	8	X	0,754
12	10	X	0,940
14	9	X	0,990
16	10	X	1,260
18	11	X	1,554

mm	mm	3 mtr	kg/mtr
20	12	X	1,884
22	14	X	2,418
25	14	X	2,750
28	16	X	3,520
32	18	X	4,520
36	20	X	5,650
40	22	X	6,910


**BLANKER KEILSTAHL C45+C H11 VIERKANT**  
 DIN 6680/EN10083


mm	3 mtr	kg/mtr
5	X	0,196
6	X	0,283
8	X	0,502
10	X	0,785

mm	3 mtr	kg/mtr
12	X	1,130
14	X	1,539
16	X	2,010


**SILBERSTAHL 115CRV3 RUND**  
 EN10278/ISO 4957

mm	2 mtr	kg/mtr
2	X	0,025
2,5	X	0,039
3	X	0,055
4	X	0,099
5	X	0,154
6	X	0,222
7	X	0,302
8	X	0,395
9	X	0,499
10	X	0,617
11	X	0,746
12	X	0,888
13	X	1,042

mm	2 mtr	kg/mtr
14	X	1,208
15	X	1,387
16	X	1,578
17	X	1,782
18	X	1,998
20	X	2,466
22	X	2,984
24	X	3,551
25	X	3,853
30	X	5,550
35	X	7,550
40	X	9,860
50	X	15,400



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.